

# Product Safety Data Sheet

**XEROX**

**Product:** DocuColor 242 / 252

**PSDS No.** 0988  
**ISSUE DATE:** 04/02/07  
**REV. DATE:** 10/15/09

## Section I - Product Identification

**Manufacturer's Name**  
Xerox Corporation

**Emergency No. EH&S Inquires**  
(585) 422-2177 (800) 828-6571

**Manufacturer's Address**  
800 Salt Road  
Webster New York 14580

**Product Designation**  
Copier / Printer

**Product Identifier:**  
FZA-3 (Nemko 72432)

## Section II - Electrical Information

<b>Line Voltage</b> (Volts)	<b>Line Current</b> (Amps)	<b>Freq.</b> (Hertz)	<b>Branch Cir. Protection</b> (Amps)
110 - 127	16	50/60	20

**Line Cord/Plug Specification**  
Power Cord is supplied

**Power Consumption(Watt hrs.)**  
Running: 1,231.5  
Standby: 237.4  
Low Power: 152.5  
Sleep mode: 36.5  
Plug in mode: 0

Xerox ENERGY STAR equipment is preset at the factory. Your machine will be delivered with the timer for switching to Power Save Mode from the last copy/print out, set at 60 minutes. A more detailed description of this feature can be found in the *Products User Guide*.

**Energy Star TEC compliant per MOU v1.0**

**Agency Approvals**

**UL** UL 60950-1

**CAN / CSA** C22.2 No 60950-1-03

## Section III - Supplies

<b>Supply</b>	<b>MSDS No.</b>
Toner	P-7004
Developer	B-2010
Drum Cartridge	C-3011

## Section IV - Environmental Information

<b>Product Size</b> (Centimeters / Inches)	<b>Heat Emission*</b> (BTU/HR)	<b>Environmental Limitations</b>	
			<u>Min</u> <u>Max</u>
D: 90.6 / 36.24	Running: 4187	Relative Humidity (%)	15 - 85
W: 2096 / 82.5	Standby: 805.8	Ambient Temp. (oC)	10 - 32
H: 1369.2 / 53.9			

## Floor Space Requirements\*\*\*

Width x Depth, (mm / Feet)

## Weight

(K Grams / Lbs.)

( 3315 x 1665 / 10.88 x 5.46 )

( 368.9 / 812 )

**PROMOTONER**

All measurements were made on products performing within established operating specifications and received recommended maintenance procedures. Xerox certifies that this product meets or exceeds the applicable standards for safety and emissions.

**Section V - Emission/Exposure Information\***

**Light Source:**

Class 1 Laser Product containing an embedded Class 3B laser

**Accession Number**

0322730-01

**Electromagnetic Emissions**

US / Canada FCC Part 15 Class A

**AUDIBLE NOISE**

System Configuration: HCF + IOT + Finisher

**Operating Conditions**

**Sound Power Level B(A)**

Standby	4.92
Continuous	7.45
Impulse	7.85

**Ozone**

Daily Copy Volume: 6694

Copies/ hours: 2 hours

Room Size 50.0 m<sup>3</sup>

0.003 mg/m<sup>3</sup>

**Dust**

0.005 mg/m<sup>3</sup>

**Styrene**

0.006 mg/ m<sup>3</sup>

**• PRODUCT RECYCLING AND DISPOSAL**

**Xerox North America:** Xerox operates a worldwide equipment takeback and reuse/recycle program. Contact your Xerox sales representative (1-800-ASK-XEROX) to determine whether this Xerox product is part of the program. For more information about Xerox environmental programs, visit [www.xerox.com/environment](http://www.xerox.com/environment).

If you are managing the disposal of your Xerox product, please note that the product contains lead and other materials whose disposal may be regulated due to environmental considerations. The presence of lead is fully consistent with global regulations applicable at the time that the product was placed on the market. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site: [www.eiae.org](http://www.eiae.org).

\* Based on a five minute average